Set No 1/15

### ENGINEERING KNOWLEDGE TEST (EKT) COMPUTER SCIENCE STREAM

### BOOKLET SERIES 'H' Time Allotted: 45 Minutes

						<u></u>					
		s for Candidates									
	<ol> <li>Total No. of Questions 50. Each Question is of three marks.</li> <li>One mark will be deducted for every wrong answer.</li> <li>No mark will be deducted for un-attempted questions</li> <li>Do not write or make any mark on Question Paper.</li> </ol>										
4.											
Q1.	If a plane is parallel to the plane of projection, it appears										
	(a)	true size		(b)	as a	line or edge					
	(c) foreshortened		(d)	as ar	n oblique surfa	ace					
Q2.	How is a J-K Flip Flop made to toggle										
	(a)	J=0, K=0	(b)	J=1, K=0	(c)	J=0, K=1	(d)	J=1, K=1			
Q3.	No. c	of flip-flops used i	in dec	ade counter							
	(a)	3	(b)	2	(c)	4	(d)	None of these			
Q4.	The decimal equivalent of the hexadecimal number E5 is										
	(a)	279	(b)	229	(c)	427	(d)	3000			
Q5.	Which part of the computer is used for calculating and comparing?										
	(a)	Disk unit	(b)	Control unit	(c)	ALU	(d)	Modem			
Q6.	Diffe	Difference between Decision-Tables and Decision Tree is (are) :									
	(a)	value to end u	ser								
	(b)	form of repres									
	(c)	one shows the	-	while other sh	ows the	e process					
	(d)	all of the abov									
Q7.	The reservation system of Indian railways is an example of										
	(a)										
	(b)	interactive dec			n						
	(c)	management controls system									
00	. ,	(d) expert system									
Q8.	The network layer, in reference to the OSI model, provide										
	(a) data link procedures that provide for the exchange of data via frames that can be sent and received										
	(b)										
	(c)	,									
	(d)	all of the abov	е								
Q9.	Which of the following is an important characteristic of LAN?										
	(a) application independent interfaces										
	(b)	unlimited expa	ansion	1							
	(c)	low cost acces	ss for	low bandwidth	channe	els					
	(d)	parallel transm	nissior	n							

**BOOKLET SERIES 'H'** 

					Ζ		-	NLEI SERIES H			
Q10.	O. Which of the following TCP/IP protocol is used for transferring electronic mail mess from one machine to another?										
	(a)	FTP	(b)	SNMP	(c)	SMTP	(d)	RPC			
Q11.	The slowest transmission speeds are those of										
	(a)	twisted-pair v		(b)	coaxial cable						
	(c)	fiber-optic ca		(d)	microwaves						
Q12.	A CPI	A CPU's processing power is measured in									
	(a)	IPS	(b)	CIPS	(c)	MIPS	(d)	nano-seconds			
Q13.	Which	Which computer memory is volatile?									
	(a)	RAM	(b)	ROM	(c)	EPROM	(d)	PROM			
Q14.	The c	omputer code f	for the i	nterchange of	informa	tion between te	erminals	sis			
	(a)	ASCII	(b)	BCD	(c)	EBCDIC	(d)	All of these			
Q15.	Which of the following is not a sequential storage device?										
	(a)	Magnetic disl	k (b) Ma	agnetic tape	(c)	Paper tape	(d)	All of these			
Q16.	The d	ata recording a	area bet	ween the blan	k gaps (	on magnetic tap	be is ca	lled a/an:			
	(a)	record	(b)	block	(c)	field	(d)	database			
Q17.	On a (a)	systems flowcl online storag			al keepi (b)	ing of input dat online keybo		entified by using the nbol			
	(c)	keeping oper	ation sy	/mbols	(d)	manual operation symbols					
Q18.	An ex	ample of a hier	rarchica	I data structure	e is						
	(a)	array	(b)	link list	(c)	tree	(d)	ring			
Q19.	Which of the following system software does the job of merging the records from two files into one?										
	(a)	(a) security software			(b)	utility program					
						documentation system					
000	(C)	networking so	oftware		(d)	documentatio	on syste				
Q20.	. ,	networking so I Memory	oftware		(d)	documentatio	on syste				
Q20.	Virtua (a)	I Memory is a method	of men		by wh	ich the prograi	m is su	bdivided into equal			
Q20.	Virtua (a) portio	l Memory is a method ns, or pages ar	of men nd core	is subdivided i	by wh nto equ	ich the prograi ial portions or b	m is su llocks	bdivided into equal			
Q20.	Virtua (a) portio (b)	l Memory is a method ns, or pages ar	of men nd core	is subdivided i	by wh nto equ	ich the prograi ial portions or b	m is su llocks				
Q20.	Virtua (a) portio (b)	I Memory is a method ns, or pages a consists of th omputation	of men nd core lose ade	is subdivided i	by wh nto equ ay be g	ich the prograi ial portions or b	m is su llocks	bdivided into equal			
Q20.	Virtua (a) portio (b) of a co	I Memory is a method ns, or pages ar consists of th omputation is a method o	of men nd core lose add	is subdivided i dresses that m ating processor	by wh nto equ ay be g time	ich the prograi ial portions or b	m is su llocks process	bdivided into equal			
Q20. Q21.	Virtua (a) portio (b) of a co (c) (d)	I Memory is a method ns, or pages ar consists of th omputation is a method o allows multip	of men nd core lose add of alloca le progr	is subdivided i dresses that m ating processor rams to reside	by wh nto equ ay be g time in sepa	ich the prograi ial portions or b jenerated by a	m is su locks process pre at th	bdivided into equal			
	Virtua (a) portio (b) of a co (c) (d)	I Memory is a method ns, or pages ar consists of th omputation is a method o allows multip	of men nd core lose add of alloca le progr	is subdivided i dresses that m ating processor rams to reside	by wh nto equ ay be g time in sepa	ich the program al portions or b penerated by a rate areas of co	m is su locks process pre at th ?	bdivided into equal			
	Virtua (a) portio (b) of a co (c) (d) Which	I Memory is a method ns, or pages an consists of th omputation is a method o allows multip	of men nd core lose add of alloca le progr nt datab	is subdivided i dresses that m ating processor rams to reside	by wh nto equ ay be g time in sepa eral mo	ich the program lal portions or b generated by a rate areas of co odel of compiler	m is su locks process pre at th ?	bdivided into equal			
	Virtua (a) portio (b) of a co (c) (d) Which (a) (c)	I Memory is a method ns, or pages an consists of th omputation is a method of allows multip n is a permaner literal Table	of men nd core lose add of alloca le progr nt datab e	is subdivided i dresses that m ating processor ams to reside base in the gen	by wh nto equ ay be g time in sepa eral mo (b)	ich the program lal portions or b lenerated by a rate areas of co odel of compiler Identifier Tab	m is su locks process pre at th ?	bdivided into equal			
Q21.	Virtua (a) portio (b) of a co (c) (d) Which (a) (c)	I Memory is a method ns, or pages an consists of th omputation is a method of allows multip n is a permanen literal Table terminal Table	of men nd core lose add of alloca le progr nt datab e nctions	is subdivided i dresses that m ating processor ams to reside base in the gen	by wh nto equ ay be g time in sepa eral mo (b)	ich the program lal portions or b lenerated by a rate areas of co odel of compiler Identifier Tab	m is su locks process ore at th ? ole	bdivided into equal			
Q21.	Virtua (a) portio (b) of a co (c) (d) Which (a) (c) Opera	I Memory is a method ns, or pages ar consists of th omputation is a method o allows multip n is a permaner literal Table terminal Table ating system fu	of men nd core lose add of alloca le progr nt datab e nctions control	is subdivided i dresses that m ating processor ams to reside base in the gen	by wh nto equ ay be g time in sepa eral mc (b) (d)	ich the program al portions or b penerated by a rate areas of co odel of compiler Identifier Tab source code	m is su locks process ore at th ? ole	bdivided into equal			
Q21.	Virtua (a) portio (b) of a cd (c) (d) Which (a) (c) Opera (a) (c)	I Memory is a method ns, or pages ar consists of th omputation is a method of allows multip n is a permaner literal Table terminal Table ating system fur input/output of	of men nd core lose add of alloca le progr nt datab e nctions control nming	is subdivided i dresses that m ating processor rams to reside base in the gen may include	by wh nto equ ay be g time in sepa eral mo (b) (d) (b) (b) (d)	ich the program lal portions or b generated by a rate areas of co odel of compiler Identifier Tab source code virtual storag All of these	m is su locks process ore at th ? ole	bdivided into equal			
Q21. Q22.	Virtua (a) portio (b) of a cd (c) (d) Which (a) (c) Opera (a) (c)	I Memory is a method ns, or pages an consists of th omputation is a method of allows multip n is a permaner literal Table terminal Table ating system fur input/output of multi-program	of men nd core lose add of alloca le progr nt datab e nctions control nming	is subdivided i dresses that m ating processor rams to reside base in the gen may include	by wh nto equ ay be g time in sepa eral mo (b) (d) (b) (b) (d)	ich the program lal portions or b generated by a rate areas of co odel of compiler Identifier Tab source code virtual storag All of these	m is su locks process ore at th ? ole	bdivided into equal sor during execution			

2

3 **BOOKLET SERIES 'H'** In which addressing mode the contents of a register specified in the instruction are first Q24. decremented, and these contents are used as the effective address of the operands? (a) index addressing (b) indirect addressing (d) (c) auto increment auto decrement Q25. In order to allow only one process to enter its critical section, binary semaphore are initialized to (a) 0 (b) 1 (c) 2 (d) 3 The outstanding Invoice file should be stared on a Pardon Access Storage Device if Q26. (a) invoice data entry is on-line (b) payment recording is done in a batch rode (c) inquiries concerning payable are to be answered on-line (d) last record points to the first record Q27. In SQL, which command(s) is/are used to enable/disable a database trigger? ALTER TRIGGER ALTER DATABASE (a) (b) (c) ALTER TABLE (d) MODIFY TRIGGER Q28. The modify operation is likely to be done after (a) Delete (b) Look-up (c) Insert (d) all of these Q29. Which of the following is not a logical data-base structure? (d) chain (a) tree (b) relational (c) network Which of the following tools is not used in modelling the new system? Q30. decision tables data dictionary (a) (b) data-flow diagrams (c) (d) all of these How many digits of the Network User Address are known as the DNIC (Data Network Q31. Identification Code)? (b) first four (c) (a) first three first five (d) first seven Q32. The most flexibility in how devices are wired together is provided by (d) T-switched networks bus networks (b) ring networks (c) star networks (a) Q33. An FM signal contains intelligence in it's frequency variations (b) it's amplitude variations (a) both amplitude and frequency variations (d) none of these (c) Q34. In PCM system a large bandwidth is required (a) (b) the biggest disadvantage is its incompatibility with TDM (c) companding is used to overcome quantising noise (d) none of the above The all-day efficiency of a transformer depends on Q35. (a) its copper loss (b) its iron loss (c) (d) None of these both (a) & (b) Q36. Slip rings for induction motor are made of

#### (a) copper (b) aluminium (c) carbon (d) phosphor bronze

	4						<b>BOOKLET SERIES 'H'</b>					
Q37.	. One of the characteristic of single phase motor is that it											
	(a) is self-starting						(b)	is not self-s	is not self-starting			
	(c) requires only one winding					(d)	can rotate i	n rotate in one direction only				
Q38.	If the	If the input to a differentiating ckt is saw -too					ve then					
	(a)	Square	(b)	Recta	ngular		(c)	Triangular	(d)	Saw-tooth		
Q39.	Which	n gate acts as ι	universa	I gate?								
	(a)	AND	(b)	NAND	)		(c)	OR	(d)	EX-OR		
Q40.	A 32 bit microprocessor has word length equal to											
	(a)	1 byte	(b)	2 byte	•		(c)	4 byte	(d)	8 byte		
Q41.	1. If the centre of a circle is (-6,8) and it passes through the origin, ther at the origin is						origin, then e	quation	to its tangent			
	(a)	2y=x	(b)	4y=3x			(c)	3y=4x	(d)	3x+4y=0		
Q42.	of 2:1	quid is flowing , if the ratio o nts of the liquic	f the v	elocities	of flov	v in the	two p	ipes by 1:2,				
	(a)	2:1	(b)	1:1			(c)	4:1	(d)	1:8		
Q43.	If $f($	$x) = x +  x^2 - x $	8  ther	the der	ivative	of $f(x)$ a	at <i>x</i> =3	is				
	(a)	6	(b)	7			(c)	8	(d)	-8		
Q44.	Given	P(A) = 1/4, P(A)	B)=1/3	and P(A	UB)= 1	/2. Valu	e of P(	A/B) is				
	(a)	1/4	(b)	1/3			(c)	1/6	(d)	1/7		
Q45.	Perm	eance of a mag	gnetic c	ircuit co	rrespon	ds to the	e follov	ving quantity i	n electr	ical circuit		
	(a)	conductivity	(b)	resistivity			(c) conductance			resistance		
Q46.	Hydro	ometer is an ins	strumen	t for me	asuring							
	(a)	relative humi	dity		(b)	pressu	ure of w	vater				
	(c)	volume of liqu	uids		(d)	specifi	ic gravi	ty				
Q47.	Radioactivity is a property of											
	(a)	atomic nuclei			(b)	excite	d electi	ron				
	(c)	gamma rays			(d)	ultraviolet light						
Q48.		ngle between t			-	and b=2	i+j+k i					
_	(a)	30 deg	(b)	45 deg	•		(c)	60 deg	(d)	90 deg		
Q49.		on is unit of for	ce. It is	the unit								
	(a)	MKS system			(b)		system					
	(c)	FPS system			(d)	None	of thes	e				
Q50.		ad is defined as			<i>a</i> :							
	(a)	stat coulomb			(b)		nb/volt					
	(c)	coulomb x vo	olt		(d)	stat co	oulomb	x volt				